

SAFETY DATA SHEET

Tarkett Repair Kit - Putty 20gr and Putty 100gr

SDS according to Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex II-EU

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Date issued 26.09.2001
Revision date 18.12.2015

1.1. Product identifier

Product name Tarkett Repair Kit - Putty 20gr and Putty 100gr
Article no. Part of 8793140 – 8793143. 8793120 - 8793126, 8793160 - 8793161.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation Putty for repairing local damages to wooden floors

1.3. Details of the supplier of the safety data sheet

Company name Tarkett AB
Postcode S-289 89
City Hanaskog
Country Sweden
Tel +46-44-268000
Fax +46-44-268169
E-mail lotta.andersson@tarkett.com
Website <http://www.tarkett.com/>
Contact person Lotta Andersson +46-76-102 42 48

1.4. Emergency telephone number

Emergency telephone In Sweden: Giftinformationscentralen:112
In Sweden: Giftinformationscentralen (ej akut):08-33 12 31

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

2.2. Label elements

Supplemental label information May cause an allergic reaction.

2.3. Other hazards

Health effect Contains 1,2-benzisothiazol-3(2H)-on and 5-chloro-2-methyl-2H-isothiazol-3-on [EG no 247-500-7] and 2-methyl-2H-isothiazol-3-on [EG no 220-239-6].
May cause an allergic reaction.

Other hazards Dust from sanding may cause irritation of eyes, skin and the respiratory system.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SECTION 4: First aid measures

4.1. Description of first aid measures

General	In case of insecurity or inconvenience: obtain medical attention. Bring this safety data sheet if seeking medical attention. Keep the affected person warm and calm. Never give anything by mouth to an unconscious person. Apply respiratory aid if needed.
Inhalation	In case of nausea or other symptoms: Move the affected person into fresh air. Obtain medical attention if symptoms persists.
Skin contact	Remove soiled clothing. Wash carefully with soap and water or use another suitable skin cleanser. Do not use an organic solvent. Obtain medical attention if irritation arise.
Eye contact	Remove contact lenses. Gently lift eyelids and hold them wide apart. Flush continuously with generous amounts of lukewarm water (20°C - 30°C) while rolling with the eyes. Keep flushing for a minimum of 10 minutes. If problems persist (intensive burn, pain, photosensitivity) keep flushing and seek medical attention.
Ingestion	If more then minor quantities have been consumed, or if nausea or other symptoms occur, seek medical attention.
Recommended personal protective equipment for first aid responders	A washbasin and emergency eye rinsing equipment should be available.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects	Dust from sanding may cause irritation of eyes, skin and the respiratory system.
----------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Alcohol resistant foam, water spray or water fog. Powder or carbon dioxide can be used on smaller fires.
Improper extinguishing media	Avoid water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Avoid inhalation of smoke. At high temperatures carbon monoxide and other toxic decomposition products can form.
-------------------------------	--

5.3. Advice for firefighters

Personal protective equipment	Suitable protective gear.
Special protective equipment for firefighters	Fire fighters entering the area should wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions	Make sure that ventilation is adequate.
Protective equipment	Use suitable personal protection.

6.2. Environmental precautions

Environmental precautionary measures	Do not allow larger quantities of the product to be released to drains/water/soil. Alert the appropriate authorities if larger spills occur.
--------------------------------------	--

6.3. Methods and material for containment and cleaning up

Cleaning method	Collected material should be kept in a suitable sealable container. Clean the soiled area, but do not use an organic solvent.
Containment	Spreading of the product can be stopped by surrounding the product with an absorbent (sand, soil etc.).

6.4. Reference to other sections

Other instructions	See heading 13 for disposal information. See sections 7 for handling and section 8 for personal protection measures.
--------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	Avoid sanding or grinding. Make sure that ventilation is adequate. Don't eat or drink during handling. Avoid skin and eye contact. Wash hands after handling. Use personal protection according to heading 8.
----------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage	Store at 10°C to 30°C in a dry and well-ventilated environment. An opened container should be stored in an upright position to prevent spill. Keep the product in the well-sealed original container.
---------	---

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Precautionary measures to prevent exposure

Technical measures to prevent exposure	Make sure that ventilation is adequate. Use a local exhaust if the general ventilation is inadequate.
--	---

Respiratory protection

Respiratory protection	Not required when working in a room with sufficient ventilation. Use a self-contained breathing apparatus or mask (P2) if ventilation is insufficient.
------------------------	--

Hand protection

Hand protection	Use protective gloves. Suitable glove materials are for example: nitrile-, chloroprene- or buthylrubber.
-----------------	--

Eye / face protection

Eye protection	Protective glasses or a face mask should be worn in case of splashing, or, when sanding / grinding.
----------------	---

Skin protection

Skin protection (except hands)	Suitable protective clothing if splashes are likely to occur.
--------------------------------	---

Hygiene / Environmental

Specific hygiene measures	Don't eat drink or smoke during usage or handling. Wash hands carefully after usage. Wash soiled clothing.
---------------------------	--

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Paste.
Colour	White
Odour	Characteristic.
pH (aqueous solution)	Value: ~ 9
Melting point/melting range	Value: > 100
Boiling point / boiling range	Value: > 100
Specific gravity	Value: ~ 1,8 kg/dm ³

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability**10.3. Possibility of hazardous reactions****10.4. Conditions to avoid**

Conditions to avoid High temperatures.

10.5. Incompatible materials**10.6. Hazardous decomposition products**

Hazardous decomposition products Fire can generate carbon monoxide and other toxic decomposition products.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Other information regarding health hazards**

General Dust from sanding may cause irritation of eyes, skin and the respiratory system.

SECTION 12: Ecological information**12.1. Toxicity****12.2. Persistence and degradability****12.3. Bioaccumulative potential****12.4. Mobility in soil****12.5. Results of PBT and vPvB assessment****12.6. Other adverse effects****SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Specify the appropriate methods of disposal Local legislation may apply.

According to the Swedish code of statutes (SFS 2011:927) concerning hazardous waste the waste from this product is not classified as dangerous waste. The product should be sent for destruction according to local rules and legislation. In Sweden, disposal, transport and storage should be performed according to SFS 2011:927.

EWC waste code EWC: 08 04 12 adhesive and sealant sludges other than those mentioned in 08 04 11

EWC: 15 01 02 plasticpackaging

EWC: 15 01 04 metallicpackaging

Other Information Emptying of packaging: Turn the container upside down and scrape out remaining content from the container. Emptying of the container is preferably done at room temperature. Do not seal the empty container.

SECTION 14: Transport information**14.1. UN number**

Comments Not classified as dangerous goods according to ADR/RID/IMO/DGR/IATA.

14.2. UN proper shipping name**14.3. Transport hazard class(es)****14.4. Packing group****14.5. Environmental hazards****14.6. Special precautions for user**

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

References (laws/regulations)	EC No 453/2010
	EC No 1907/2006 (REACH)
	EC No 1272/2008 (CLP)
	SFS 2011:927 Avfallsförordning

15.2. Chemical safety assessment

Chemical Safety Assessment	Has been performed and is available at the manufacturer.
----------------------------	--

SECTION 16: Other information

Information which has been added, deleted or revised	<p>2001-09-26: Safety data sheet translated from English original to Swedish.</p> <p>2005-06-22: Reworked</p> <p>2007-10-16: Article number SAP added.</p> <p>2010-07-30: Contact person added (heading 1). The preservatives under heading 2 complemented with CAS- and EC-numbers as well as classifications. EWC-codes added (heading 13). Classification and labelling information under heading 15 moved to heading 2. R-phases changed under heading 16. Various changes to improve readability.</p> <p>2010-10-30: Swedish safety data sheet translated to English.</p> <p>2013-03-17: Headlines updated according to EC No 453/2010</p> <p>2013-09-29: Minor changes and editing.</p> <p>2015-12-18: CLP-update.</p>
Checking quality of information	The information in this product information sheet is based on our current knowledge and that of the manufacturer of the raw materials, and meets the requirements of EU and Swedish legislation. The information should be regarded as a general description of the safety requirements expected from the user of the product, as it is also expected that the product is used according to section 1. The user is always responsible for meeting the requirements imposed by national legislation. The above information does not guarantee the properties of this product. This product information sheet should be available to all who work with the product.
Version	4
Responsible for safety data sheet	Tarkett AB